

KARE 43084

Set of KARE Logo Wall Lamp
100 cm height


PAGE 1

INSTALLATION GUIDE

KARE
DESIGN

KARE Elements Open Back Face LED View

For proper instalation refer to page 2



KARE Dimmensions: **W5900x H1000mm**

LED Light Modules : Baltled

Luminous flux: 2600 lm, Consumption power: (130W)

Transformator: Meanwell 100W


(Input: 220/240V AC - Output : 12V DC)

INSTALLATION GUIDE




Mechanical Specification

Case No. 999A Unit:mm



Block Diagram



KARE 43084


Set of KARE Logo Wall Lamp
100 cm height

PAGE 3



INSTALLATION GUIDE

KARE
DESIGN

Step 1 - Installation elements (A) on the wall



Step 2 - Insert Power Cable in holes on the wall



For outdoor installation - remove element B and use this scheme for installation

KARE 43084



Set of KARE Logo Wall Lamp
100 cm height

PAGE 4

INSTALLATION GUIDE

KARE
DESIGN

Step 3



1. Face - Red Plexiglass
2. Board - 120mm al. composited panels connected with face
3. Back side - 2mm aluminum with 20mm board
5. 23pcs, Montage (elements B)
6. 440 pcs. LED Light elements (BMS-S32-O3A120R)
7. 1.5m External Back Power Cabel DC 12V
8. External Power Transformer:
4 x BP3-V12-60.1 LED Baltled, 5A
9. 23 pcs. Montage (elements A)

Paper printed installation scheme(included)

